	Application No.	Applicant(s)	
Notice of Allowability	09/420,321	WESTERMAN ET AL.	
	Examiner	Art Unit	
	Sy D. Luu	2174	
	· · · · · · · · · · · · · · · · · · ·		
The MAILING DATE of this communication apperature of the Communication apperature of the Communication apperature of the Communication apperature of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate comming IGHTS. This application is:	n this application. If not included unication will be mailed in due course. THIS	
1. This communication is responsive to 10/20/06.			
2. The allowed claim(s) is/are <u>1-6</u> .			
 3. ☐ Acknowledgment is made of a claim for foreign priority unallocation. a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 	•	or (f).	
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF			
INFORMAL PATENT APPLICATION (PTO-152) which give			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) including changes required by the attached Examiner' Paper No./Mail Date	s Amendment / Comment o	r in the Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t			
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 			
	•		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Notice of In	formal Patent Application	
Notice of Prefirements Office (FTO-948) Notice of Draftperson's Patent Drawing Review (PTO-948)		• •	
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No.	 Interview Summary (PTO-413), Paper No./Mail Date IX Examiner's Amendment/Comment 	
Paper No./Mail Date4. Examiner's Comment Regarding Requirement for Deposit		Statement of Reasons for Allowance	
of Biological Material	9.	() /	
		SY D. LUU . PRIMARY PATENT EXAMINER	

Application/Control Number: 09/420,321

Art Unit: 2174

Examiner's Amendment and Reasons for Allowance

Page 2

1. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

2. Authorization for this examiner's amendment was given in a telephone interview via

voicemail with Mr. Kevin Russell (Reg. No. 38,292) on 1/3/2007.

3. The application is further amended as follows:

Claim 1 is to be amended as follows:

1 (Four Times Amended). A computer implemented graphical user interface

comprising:

(a) a manipulator enabling alteration of a scale of an object displayed by a computer by altering a dimension of a graphic representation of an active

region of a portion of data on said computer;

(b) said dimension being equal to a limit;

(c) wherein the size of said graphic representation is not changing

while said scale is altering;

(d) wherein said manipulator interacts directly with said graphic

representation to said enable said alteration;

(e) wherein the size and the position of said graphic representation is

Application/Control Number: 09/420,321

Art Unit: 2174

changeable to display a graphic representation of an active region of another portion of said data;

- (f) wherein said size and said position of the graphic representation is changeable while both (1) the scale is not changing and(2) said interaction with said manipulator is not being said equal to said 1imit;
- (g) wherein when said size and said position of said graphic representation is changeable to reach said equal to said limit, upon said graphic representation said reaching said equal to said limit, said graphic representation does not change while said scale is said altering when said size and said position of said graphic representation is changed to a position beyond said equal to said limit.

Allowable Subject Matter

- 4. Claims 1-6 are allowed.
- 5. The following is an examiner's statement of reasons for allowance:

The prior art made of record fails to anticipate or make obvious the claimed invention. Specifically, the prior art fails to teach the limitation of when said size and said position of said graphic representation is changeable to reach said equal to said limit, upon said graphic representation reaching said equal to said limit, said graphic representation does not change while said scale is said altering when said size and said position of said graphic representation is changed to a position beyond said equal to said limit, as recited in claim 1.

Although the applied art Sciammarella et al. (US 6,320,599), Kreegar (US 5,396,590), and Microsoft Publisher teach a substantial amount of the claimed matters, the applied prior art, singularly or in combination, still fail to teach all claim limitations as recited.

Application/Control Number: 09/420,321 Page 4

Art Unit: 2174

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Inquires

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sy Luu whose telephone number is (571) 272-4064. The examiner can normally be reached on Monday - Friday from 7:300 am to 4:00 pm (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kristine Kincaid, can be reached on (571) 272-4063.

The fax number for the organization where this application or proceeding is assigned is (571) 273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SY D. LUU PRIMARY EXAMINER ART UNIT 2174